

The sem Package

July 26, 2006

Version 0.9-4

Date 2006/7/25

Title Structural Equation Models

Author John Fox <jfox@mcmaster.ca>

Maintainer John Fox <jfox@mcmaster.ca>

Depends R (>= 1.6.0)

Suggests boot

Description This package contains functions for fitting general linear structural equation models (with observed and unobserved variables) by the method of maximum likelihood using the RAM approach, and for fitting structural equations in observed-variable models by two-stage least squares.

License GPL version 2 or newer

URL <http://www.r-project.org>, <http://www.socsci.mcmaster.ca/jfox/>

R topics documented:

CNES	2
Klein	2
Kmenta	3
boot.sem	4
mod.indices	7
path.diagram	9
ram	12
raw.moments	13
residuals.sem	15
sem	17
specify.model	30
standardized.coefficients	32
tsls	33

Index

37

CNES

Variables from the 1997 Canadian National Election Study

Description

These variables are from the mailback questionnaire to the 1997 Canadian National Election Study, and are intended to tap attitude towards “traditional values.”

Usage

```
data(CNES)
```

Format

A data frame with 1529 observations on the following 4 variables.

MBSA2 an ordered factor with levels StronglyDisagree Disagree Agree StronglyAgree, in response to the statement, “We should be more tolerant of people who choose to live according to their own standards, even if they are very different from our own.”

MBSA7 an ordered factor with levels StronglyDisagree Disagree Agree StronglyAgree, in response to the statement, “Newer lifestyles are contributing to the breakdown of our society.”

MBSA8 an ordered factor with levels StronglyDisagree Disagree Agree StronglyAgree, in response to the statement, “The world is always changing and we should adapt our view of moral behaviour to these changes.”

MBSA9 an ordered factor with levels StronglyDisagree Disagree Agree StronglyAgree, in response to the statement, “This country would have many fewer problems if there were more emphasis on traditional family values.”

Source

York University Institute for Social Research.

Klein

Klein's Data on the U. S. Economy

Description

Data for Klein’s (1950) simple econometric model of the U. S. economy.

The Klein data frame has 22 rows and 10 columns.

Usage

```
data(Klein)
```

Format

This data frame contains the following columns:

- Year** 1921–1941
- C** consumption.
- P** private profits.
- Wp** private wages.
- I** investment.
- K.lag** capital stock, lagged one year.
- X** equilibrium demand.
- Wg** government wages.
- G** government non-wage spending.
- T** indirect business taxes and net exports.

Source

Greene, W. H. (1993) *Econometric Analysis, Second Edition*. Macmillan.

References

Klein, L. (1950) *Economic Fluctuations in the United States 1921–1941*. Wiley.

Examples

```
data(Klein)

Klein$P.lag <- c(NA, Klein$P[-22])
Klein$X.lag <- c(NA, Klein$X[-22])

summary(tsls(C ~ P + P.lag + I(Wp + Wg),
            instruments=~1 + G + T + Wg + I(Year - 1931) + K.lag + P.lag + X.lag,
            data=Klein))

summary(tsls(I ~ P + P.lag + K.lag,
            instruments=~1 + G + T + Wg + I(Year - 1931) + K.lag + P.lag + X.lag,
            data=Klein))

summary(tsls(Wp ~ X + X.lag + I(Year - 1931),
            instruments=~1 + G + T + Wg + I(Year - 1931) + K.lag + P.lag + X.lag,
            data=Klein))
```

Description

These are partly contrived data from Kmenta (1986), constructed to illustrate estimation of a simultaneous-equation model.

The Kmenta data frame has 20 rows and 5 columns.

Usage

```
data(Kmenta)
```

Format

This data frame contains the following columns:

- Q** food consumption per capita.
- P** ratio of food prices to general consumer prices.
- D** disposable income in constant dollars.
- F** ratio of preceding year's prices received by farmers to general consumer prices.
- A** time in years.

Details

The exogenous variables D, F, and A are based on real data; the endogenous variables P and Q were generated by simulation.

Source

Kmenta, J. (1986) *Elements of Econometrics, Second Edition*, Macmillan.

Examples

```
data(Kmenta)
```

boot.sem

Bootstrap a Structural Equation Model

Description

Bootstraps a structural equation model in an `sem` object (as returned by the `sem` function).

Usage

```
boot.sem(data, model, R=100, cov=cov, ...)
## S3 method for class 'bootsem':
print(x, digits=getOption("digits"), ...)

## S3 method for class 'bootsem':
summary(object,
        type=c("perc", "bca", "norm", "basic", "none"), level=0.95, ...)
```

Arguments

<code>data</code>	a data frame containing the data to which the model was fit; note that the original observations are required, not just the covariance matrix of the observed variables in the model.
<code>model</code>	an <code>sem</code> object, produced by the <code>sem</code> function.
<code>R</code>	the number of bootstrap replications; the default is 100, which should be enough for computing standard errors, but not confidence intervals (except for the normal-theory intervals).
<code>cov</code>	a function to compute the input covariance matrix; the default is <code>cov</code> . Use <code>cor</code> if the model is fit to the correlation matrix. The function <code>hetcor</code> in the <code>polycor</code> package will compute product-moment, polychoric, and polyserial correlations among mixed continuous and ordinal variables (see the example below for an illustration).
<code>x, object</code>	an object of class <code>boot.sem</code> .
<code>digits</code>	controls the number of digits to print.
<code>type</code>	type of bootstrapped confidence intervals to compute; the default is "perc" (percentile); see <code>boot.ci</code> for details.
<code>level</code>	level for confidence intervals; default is 0.95.
<code>...</code>	in <code>boot.sem</code> , arguments to be passed to <code>sem</code> ; otherwise ignored.

Details

`boot.sem` implements the nonparametric bootstrap, assuming an independent random sample. Convergence failures in the bootstrap resamples are discarded (and a warning printed); 10 consecutive convergence failures result in an error. You can use the `boot` function in the `boot` package for more complex sampling schemes and additional options.

Bootstrapping is implemented by resampling the observations in `data`, recalculating the input covariance matrix with `cov` and refitting the model with `sem`, using the parameter estimates from the original sample as start-values.

Warning: the bootstrapping process can be very time-consuming.

Value

`boot.sem` returns an object of class `boot.sem`, which inherits from class `boot`, supported by the `boot` package. The returned object contains the following components:

<code>t0</code>	the estimated parameters in the model fit to the original data set.
<code>t</code>	a matrix containing the bootstrapped estimates, one bootstrap replication per row.
<code>data</code>	the data frame containing the data to which the model was fit.
<code>seed</code>	the value of <code>.Random.seed</code> when <code>boot.sem</code> was called.
<code>statistic</code>	the function used to produce the bootstrap replications; this is always the local function <code>refit</code> from <code>boot.sem</code> .
<code>sim</code>	always set to "ordinary"; see the documentation for the <code>boot</code> function.
<code>stype</code>	always set to "i"; see the documentation for the <code>boot</code> function.
<code>call</code>	the call of the <code>boot.sem</code> function.
<code>strata</code>	always a vector of ones.

Author(s)

John Fox <jfox@mcmaster.ca>

References

- Davison, A. C., and Hinkley, D. V. (1997) *Bootstrap Methods and their Application*. Cambridge.
- Efron, B., and Tibshirani, R. J. (1993) *An Introduction to the Bootstrap*. Chapman and Hall.

See Also

[boot](#), [sem](#)

Examples

```
## Not run:

# A simple confirmatory factor-analysis model using polychoric correlations.
# The polycor package is required for the hetcor function.

library(polycor)

# The following function returns correlations computed by hetcor,
# and is used for the bootstrapping.

hcov <- function(data) hetcor(data, std.err=FALSE)$correlations

model.cnnes <- specify.model()
F -> MBSA2, lam1, NA
F -> MBSA7, lam2, NA
F -> MBSA8, lam3, NA
F -> MBSA9, lam4, NA
F <-> F, NA, 1
MBSA2 <-> MBSA2, the1, NA
MBSA7 <-> MBSA7, the2, NA
MBSA8 <-> MBSA8, the3, NA
MBSA9 <-> MBSA9, the4, NA

data(CNES)
R.cnnes <- hcov(CNES)

sem.cnnes <- sem(model.cnnes, R.cnnes, N=1529)
summary(sem.cnnes)

# Note: this can take a couple of minutes:

system.time(boot.cnnes <- boot.sem(CNES, sem.cnnes, R=100, cov=hcov), gcFirst=TRUE)
summary(boot.cnnes, type="norm")
# cf., standard errors to those computed by summary(sem.cnnes)

## End(Not run)
```

Description

`mod.indices` calculates modification indices (score tests) and estimated parameter changes for the fixed and constrained parameters in a structural equation model. [Warning: This is a preliminary version: the computed values are a bit off the correct values.]

Usage

```
mod.indices(model, ...)

## S3 method for class 'sem':
mod.indices(model, ...)

## S3 method for class 'sem.modind':
print(x, n.largest=5, ...)

## S3 method for class 'sem.modind':
summary(object, round=2,
        print.matrices=c("both", "par.change", "mod.indices"), ...)
```

Arguments

<code>model</code>	an object of class <code>sem</code> , produced by the <code>sem</code> function.
<code>object, x</code>	an object of class <code>sem.modind</code> , produced by the <code>mod.indices</code> function.
<code>n.largest</code>	number of modification indices to print in each of the A and P matrices of the RAM model.
<code>round</code>	number of places to the right of the decimal point in printing modification indices.
<code>print.matrices</code>	which matrices to print: estimated changes in the fixed parameters, modification indices, or both (the default).
<code>...</code>	arguments to be passed down.

Details

Modification indices are one-df chi-square score statistics for the fixed and constrained parameters in a structural equation model. They may be regarded as an estimate of the improvement in the likelihood-ratio chi-square statistic for the model if the corresponding parameter is respecified as a free parameter. The `mod.indices` function also estimates the change in the value of a fixed or constrained parameter if the parameter is respecified as free. When several parameters are set equal, modification indices and estimated changes are given for all but the first. Modification indices and estimated parameter changes for currently free parameters are given as NA.

The method employed is described in Saris, Satorra, and Sörbom (1987) and Sörbom (1989).

Value

`mod.indices` returns an object of class `sem.modind` with the following elements:

<code>mod.A</code>	modification indices for the elements of the A matrix.
<code>mod.P</code>	modification indices for the elements of the P matrix.
<code>par.A</code>	estimated parameter changes for the elements of the A matrix.
<code>par.P</code>	estimated parameter changes for the elements of the P matrix.

Author(s)

John Fox `<jfox@mcmaster.ca>`

References

Sarris, W. E., Satorra, A., and Sörbom, D. (1987) The detection and correction of specification errors in structural equation models. Pp. 105–129 in Clogg, C. C. (ed.), *Sociological Methodology 1987*. American Sociological Association.

Sörbom, D. (1989) Model modification. *Psychometrika* **54**, 371–384.

See Also

`sem`

Examples

```
# This example is adapted from the SAS manual

S.wh <- matrix(c(
  11.834,      0,      0,      0,      0,      0,
  6.947,      9.364,    0,      0,      0,      0,
  6.819,      5.091,   12.532,    0,      0,      0,
  4.783,      5.028,   7.495,   9.986,    0,      0,
 -3.839,     -3.889,  -3.841,  -3.625,   9.610,    0,
 -21.899,    -18.831, -21.748, -18.775,  35.522,  450.288),
  6, 6)

model.wh <- matrix(c(
  'Alienation67'  -> 'Anomia67',      NA,      1,
  'Alienation67'  -> 'Powerless67',    NA,  0.833,
  'Alienation71'  -> 'Anomia71',      NA,      1,
  'Alienation71'  -> 'Powerless71',    NA,  0.833,
  'SES'            -> 'Education',     NA,      1,
  'SES'            -> 'SEI',           'lamb',  NA,
  'SES'            -> 'Alienation67',   'gaml',  NA,
  'Alienation67'  -> 'Alienation71',   'beta',  NA,
  'SES'            -> 'Alienation71',   'gam2',  NA,
  'Anomia67'       <-> 'Anomia67',     'the1',  NA,
  'Anomia71'       <-> 'Anomia71',     'the1',  NA,
  'Powerless67'    <-> 'Powerless67',   'the2',  NA,
  'Powerless71'    <-> 'Powerless71',   'the2',  NA,
  'Education'      <-> 'Education',     'the3',  NA,
  'SEI'             <-> 'SEI',           'the4',  NA,
  'Anomia67'       <-> 'Anomia71',     'the5',  NA,
  'Powerless67'    <-> 'Powerless71',   'the5',  NA,
```

```

'Alienation67    <-> Alienation67',  'psi1',  NA,
'Alienation71    <-> Alienation71',  'psi2',  NA,
'SES              <-> SES',           'phi',   NA),
ncol=3, byrow=TRUE)

obs.vars.wh <- c('Anomia67','Powerless67','Anomia71','Powerless71','Education','SEI')
rownames(S.wh) <- colnames(S.wh) <- obs.vars.wh

sem.wh <- sem(model.wh, S.wh, 932)

mod.indices(sem.wh)

## 5 largest modification indices, A matrix:
## Powerless67:Education      Anomia67:Education
##             4.8736            3.8027
##     Powerless67:SES Education:Powerless67
##             2.7608            2.4619
##     Anomia67:SES
##             2.3122
##
## 5 largest modification indices, P matrix:
## Education:Powerless67      Education:Anomia67
##             6.4028            4.5398
##     SES:Powerless67          SES:Anomia67
##             2.7608            2.3122
##     SEI:Powerless67
##             1.3185

```

path.diagram

Draw Path Diagram

Description

`path.diagram` creates a description of the path diagram for a structural-equation-model object to be processed by the graph-drawing program *dot*; see Koutsofios and North (2002) and <http://www.graphviz.org/>.

Usage

```

path.diagram(model, ...)

## S3 method for class 'sem':
path.diagram(model, out.file, min.rank=NULL, max.rank=NULL,
             same.rank=NULL, variables=model$var.names, parameters=rownames(model$ram),
             ignore.double=TRUE, edge.labels=c("names", "values"), size=c(8, 8),
             node.font=c("Helvetica", 14), edge.font=c("Helvetica", 10),
             rank.direction=c("LR", "TB"), digits=2, ...)

```

Arguments

- | | |
|-------|---|
| model | a structural-equation-model object produced by <code>sem</code> . |
| ... | arguments to be passed down to <code>path.diagram.sem</code> . |

<code>out.file</code>	a file to which to write the <i>dot</i> description of the path diagram; if not specified, the description is written to standard output (normally the R Console).
<code>min.rank</code>	a character string listing names of variables to be assigned minimum rank (order) in the graph; the names should be separated by commas.
<code>max.rank</code>	a character string listing names of variables to be assigned maximum rank in the graph; the names should be separated by commas.
<code>same.rank</code>	a character string or vector of character strings of variables to be assigned equivalent rank in the graph; names in each string should be separated by commas.
<code>variables</code>	variable names; defaults to the variable names in <code>model</code> . If specified, the variable names should be in the same order as in <code>model</code> .
<code>parameters</code>	parameter names; defaults to the parameter names in <code>model</code> . If specified, the parameter names should be in the same order as in <code>model</code> .
<code>ignore.double</code>	if TRUE, the default, double-headed arrows, representing variances and covariances, are not graphed.
<code>edge.labels</code>	"names" to label arrows with parameter names; "values" to label arrows with parameter estimates.
<code>size</code>	the size of the graph, in inches.
<code>node.font</code>	font name and point-size for printing variable names.
<code>edge.font</code>	font name and point-size for printing arrow names or values.
<code>rank.direction</code>	draw graph left-to-right, "LR", the default, or top-to-bottom, "TB".
<code>digits</code>	number of digits after the decimal point (default, 2) to which to round parameter estimates.

Value

NULL: `path.diagram` is used for its side-effect, producing a graph description of the model.

Author(s)

John Fox <jfox@mcmaster.ca>

References

Koutsofios, E., and North, S. C. (2002) Drawing graphs with *dot*. <http://www.graphviz.org/Documentation/dotguide.pdf>.

See Also

[sem](#)

Examples

```
# The Duncan, Haller, and Portes Peer-Influences Model

R.DHP <- matrix(c(
  1,          0,          0,          0,          0,          0,          0,          0,
  .6247,      1,          0,          0,          0,          0,          0,          0,
  .3269,      .3669,      1,          0,          0,          0,          0,          0,
```

```

  .4216,  .3275,  .6404,  1,      0,      0,      0,      0,      0,
  .2137,  .2742,  .1124,  .0839,  1,      0,      0,      0,      0,
  .4105,  .4043,  .2903,  .2598,  .1839,  1,      0,      0,      0,
  .3240,  .4047,  .3054,  .2786,  .0489,  .2220,  1,      0,      0,
  .2930,  .2407,  .4105,  .3607,  .0186,  .1861,  .2707,  1,      0,
  .2995,  .2863,  .5191,  .5007,  .0782,  .3355,  .2302,  .2950,  1,
  .0760,  .0702,  .2784,  .1988,  .1147,  .1021,  .0931,  -.0438,  .2087,
), ncol=10, byrow=TRUE)

model.dhp <- matrix(c(
  'RParAsp' -> 'RGenAsp', 'gam11', NA,
  'RIQ'     -> 'RGenAsp', 'gam12', NA,
  'RSES'    -> 'RGenAsp', 'gam13', NA,
  'FSES'    -> 'RGenAsp', 'gam14', NA,
  'RSES'    -> 'FGenAsp', 'gam23', NA,
  'FSES'    -> 'FGenAsp', 'gam24', NA,
  'FIQ'     -> 'FGenAsp', 'gam25', NA,
  'FParAsp' -> 'FGenAsp', 'gam26', NA,
  'FGenAsp' -> 'RGenAsp', 'beta12', NA,
  'RGenAsp' -> 'FGenAsp', 'beta21', NA,
  'RGenAsp' -> 'ROccAsp', NA, 1,
  'RGenAsp' -> 'REdAsp', 'lam21', NA,
  'FGenAsp' -> 'FOccAsp', NA, 1,
  'FGenAsp' -> 'FEdAsp', 'lam42', NA,
  'RGenAsp' <-> 'RGenAsp', 'ps11', NA,
  'FGenAsp' <-> 'FGenAsp', 'ps22', NA,
  'RGenAsp' <-> 'FGenAsp', 'ps12', NA,
  'ROccAsp' <-> 'ROccAsp', 'theta1', NA,
  'REdAsp'  <-> 'REdAsp', 'theta2', NA,
  'FOccAsp' <-> 'FOccAsp', 'theta3', NA,
  'FEdAsp'  <-> 'FEdAsp', 'theta4', NA),
  ncol=3, byrow=TRUE)

rownames(R.DHP) <- colnames(R.DHP) <- c('ROccAsp', 'REdAsp', 'FOccAsp',
  'FEdAsp', 'RParAsp', 'RIQ', 'RSES', 'FSES', 'FIQ', 'FParAsp')

sem.dhp <- sem(model.dhp, R.DHP, 329,
  fixed.x=c('RParAsp', 'RIQ', 'RSES', 'FSES', 'FIQ', 'FParAsp'))

path.diagram(sem.dhp, min.rank='RIQ', RSES, RParAsp, FParAsp, FSES, FIQ',
  max.rank='ROccAsp', REdAsp, FEdAsp, FOccAsp)

##  graph TD
##  rankdir=LR;
##  size="8,8";
##  node [fontname="Helvetica" fontsize=14 shape=box];
##  edge [fontname="Helvetica" fontsize=10];
##  center=1;
##  {rank=min "RIQ" "RSES" "RParAsp" "FParAsp" "FSES" "FIQ"};
##  {rank=max "ROccAsp" "REdAsp" "FEdAsp" "FOccAsp"};
##  "RGenAsp" [shape=ellipse]
##  "FGenAsp" [shape=ellipse]
##  "RParAsp" --> "RGenAsp" [label="gam11"];
##  "RIQ" --> "RGenAsp" [label="gam12"];
##  "RSES" --> "RGenAsp" [label="gam13"];
##  "FSES" --> "RGenAsp" [label="gam14"];
##  "RSES" --> "FGenAsp" [label="gam23"];
##  "FGenAsp" --> "RGenAsp" [label="gam12"];
##  "FGenAsp" --> "FGenAsp" [label="gam24"];
##  "RGenAsp" <-> "RGenAsp" [label="ps11"];
##  "FGenAsp" <-> "FGenAsp" [label="ps22"];
##  "RGenAsp" <-> "FGenAsp" [label="ps12"];
##  "ROccAsp" <-> "ROccAsp" [label="theta1"];
##  "REdAsp" <-> "REdAsp" [label="theta2"];
##  "FOccAsp" <-> "FOccAsp" [label="theta3"];
##  "FEdAsp" <-> "FEdAsp" [label="theta4"];
##  "RGenAsp" --> "REdAsp" [label="lam21"];
##  "FGenAsp" --> "FOccAsp" [label="NA"];
##  "FGenAsp" --> "FEdAsp" [label="lam42"];
##  "RGenAsp" --> "ROccAsp" [label="NA"];
##  "RGenAsp" --> "FGenAsp" [label="beta12"];
##  "FGenAsp" --> "RGenAsp" [label="beta21"];
```

```

## "FSES" -> "FGenAsp" [label="gam24"];
## "FIQ" -> "FGenAsp" [label="gam25"];
## "FParAsp" -> "FGenAsp" [label="gam26"];
## "FGenAsp" -> "RGenAsp" [label="beta12"];
## "RGenAsp" -> "FGenAsp" [label="beta21"];
## "RGenAsp" -> "ROccAsp" [label=""];
## "RGenAsp" -> "REdAsp" [label="lam21"];
## "FGenAsp" -> "FOccAsp" [label=""];
## "FGenAsp" -> "FEdAsp" [label="lam42"];
##
}

```

ram

RAM Matrix for a Structural-Equation Model

Description

Print the labelled RAM definition matrix for a structural-equation model fit by `sem`.

Usage

```
ram(object, digits=5, startvalues=FALSE)
```

Arguments

- `object` an object of class `sem` returned by the `sem` function.
- `digits` number of digits for printed output.
- `startvalues` if TRUE, start values for parameters are printed; otherwise, the parameter estimates are printed; the default is FALSE.

Value

A data frame containing the labelled RAM definition matrix, which is normally just printed.

Author(s)

John Fox <jfox@mcmaster.ca>

See Also

`sem`

Examples

```

# ----- assumes that Duncan, Haller and Portes peer-influences model
# ----- has been fit and is in sem.dhp

## Not run:
ram(sem.dhp)

##      heads to from parameter estimate      arrow
##          1   1   11          0  1.000000 ROccAsp <--- RGenAsp

```

```

## lam21      1  2   11      1  1.062673 REdAsp <--- RGenAsp
##          1  3   12      0  1.000000 FOccAsp <--- FGenAsp
## lam42      1  4   12      2  0.929732 FEdAsp <--- FGenAsp
## gam11      1 11    5      3  0.161220 RGenAsp <--- RParAsp
## gam12      1 11    6      4  0.249647   RGenAsp <--- RIQ
## gam13      1 11    7      5  0.218402   RGenAsp <--- RSES
## gam14      1 11    8      6  0.071836   RGenAsp <--- FSES
## gam23      1 12    7      7  0.061879   FGenAsp <--- RSES
## gam24      1 12    8      8  0.228863   FGenAsp <--- FSES
## gam25      1 12    9      9  0.349030   FGenAsp <--- FIQ
## gam26      1 12   10     10 0.159529 FGenAsp <--- FParAsp
## beta12     1 11   12     11 0.184245 RGenAsp <--- FGenAsp
## beta21     1 12   11     12 0.235502 FGenAsp <--- RGenAsp
## theta1     2  1    1      13 0.412143 ROccAsp <--> ROccAsp
## theta2     2  2    2      14 0.336146   REdAsp <--> REdAsp
## theta3     2  3    3      15 0.311197 FOccAsp <--> FOccAsp
## theta4     2  4    4      16 0.404601   FEdAsp <--> FEdAsp
## psi11     2 11   11     17 0.280987 RGenAsp <--> RGenAsp
## psi22     2 12   12     18 0.263832 FGenAsp <--> FGenAsp
## psi12     2 11   12     19 -0.022620 RGenAsp <--> FGenAsp
##          2  5    5      0  1.000000 RParAsp <--> RParAsp
##          2  6    5      0  0.183900   RIQ <--> RParAsp
##          2  6    6      0  1.000000   RIQ <--> RIQ
##          2  7    5      0  0.048900   RSES <--> RParAsp
##          2  7    6      0  0.222000   RSES <--> RIQ
##          2  7    7      0  1.000000   RSES <--> RSES
##          2  8    5      0  0.018600   FSES <--> RParAsp
##          2  8    6      0  0.186100   FSES <--> RIQ
##          2  8    7      0  0.270700   FSES <--> RSES
##          2  8    8      0  1.000000   FSES <--> FSES
##          2  9    5      0  0.078200   FIQ <--> RParAsp
##          2  9    6      0  0.335500   FIQ <--> RIQ
##          2  9    7      0  0.230200   FIQ <--> RSES
##          2  9    8      0  0.295000   FIQ <--> FSES
##          2  9    9      0  1.000000   FIQ <--> FIQ
##          2 10   5      0  0.114700 FParAsp <--> RParAsp
##          2 10   6      0  0.102100   FParAsp <--> RIQ
##          2 10   7      0  0.093100   FParAsp <--> RSES
##          2 10   8      0 -0.043800   FParAsp <--> FSES
##          2 10   9      0  0.208700   FParAsp <--> FIQ
##          2 10  10     0  1.000000 FParAsp <--> FParAsp
## ## End(Not run)

```

raw.moments

Compute Raw Moments Matrix

Description

Computes the “uncorrected” sum-of-squares-and-products matrix divided by the number of observations.

Usage

```
raw.moments(object, ...)
```

```

## S3 method for class 'formula':
raw.moments(formula, data, subset, na.action,
            contrasts = NULL, ...)

## Default S3 method:
raw.moments(object, ...)

## S3 method for class 'rawmoments':
print(x, ...)

```

Arguments

<code>object</code>	a one-sided model formula or an object coercible to a numeric matrix.
<code>formula</code>	a one-sided model formula specifying the model matrix for which raw moments are to be computed; note that a constant is included if it is not explicitly suppressed by putting <code>-1</code> in the formula.
<code>data</code>	an optional data frame containing the variables in the formula. By default the variables are taken from the environment from which <code>raw.moments</code> is called.
<code>subset</code>	an optional vector specifying a subset of observations to be used in computing moments.
<code>na.action</code>	a function that indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> option.
<code>contrasts</code>	an optional list. See the <code>contrasts.arg</code> of <code>model.matrix.default</code>
<code>x</code>	an object of class <code>rawmoments</code> to print.
<code>...</code>	arguments passed down.

Value

Returns an object of class `rawmoments`, which is simply a matrix with an attribute "N" that contains the number of observations on which the moments are based.

Author(s)

John Fox <jfox@mcmaster.ca>

See Also

[sem](#)

Examples

```

data(Kmenta)
raw.moments(cbind(1, Kmenta))
raw.moments(~ Q + P + D + F + A, data=Kmenta)

```

residuals.sem

Residual Covariances for a Structural Equation Model

Description

These functions compute residual covariances, variance-standardized residual covariances, and normalized residual covariances for the observed variables in a structural-equation model fit by `sem`.

Usage

```
## S3 method for class 'sem':
residuals(object, ...)

standardized.residuals(object, ...)

## S3 method for class 'sem':
standardized.residuals(object, ...)

normalized.residuals(object, ...)

## S3 method for class 'sem':
normalized.residuals(object, ...)
```

Arguments

<code>object</code>	an object of class <code>sem</code> returned by the <code>sem</code> function.
<code>...</code>	not for the user.

Details

Residuals are defined as $S - C$, where S is the sample covariance matrix of the observed variables and C is the model-reproduced covariance matrix. The *standardized* residual covariance for a pair of variables divides the residual covariance by the product of the sample standard deviations of the two variables, $(s_{ij} - c_{ij})/(s_{ii}s_{jj})^{1/2}$. The *normalized* residual is given by

$$\frac{s_{ij} - c_{ij}}{[(c_{ii}c_{jj} - c_{ij}^2)/N^*]^{1/2}}$$

where N^* is the number of observations minus one if the model is fit to a covariance matrix, or the number of observations if it is fit to a raw moment matrix.

Value

Each function returns a matrix of residuals.

Author(s)

John Fox <jfox@mcmaster.ca>

References

Bollen, K. A. (1989) *Structural Equations With Latent Variables*. Wiley.

See Also[sem](#)**Examples**

```

## Not run:
# ----- assumes that Duncan, Haller and Portes peer-influences model
# ----- has been fit and is in sem.dhp.1

residuals(sem.dhp.1)

##          ROccAsp      REdAsp      FOCCAsp      FEdAsp
##  ROccAsp  4.156103e-07 -2.896368e-07 -2.866110e-02  9.102874e-02
##  REdAsp  -2.896368e-07 -1.541581e-06 -1.094841e-02 -2.379215e-02
##  FOCCAsp -2.866110e-02 -1.094841e-02 -3.740356e-06 -9.564103e-07
##
##  . . .
##
##          FIQ      FParAsp
##  ROccAsp  3.467853e-02 -3.187309e-02
##  REdAsp   4.878970e-03 -4.443480e-02
##  FOCCAsp -7.354686e-03  2.488120e-02
##  FEdAsp   1.124604e-02 -3.690078e-02
##  RParAsp  2.775558e-17  5.551115e-17
##  RIQ     2.220446e-16  6.938894e-17
##  RSES    0.000000e+00 -1.387779e-17
##  FSSES   1.110223e-16 -2.775558e-17
##  FIQ     4.440892e-16  1.110223e-16
##  FParAsp 1.110223e-16  4.440892e-16

normalized.residuals(sem.dhp.1)

##          ROccAsp      REdAsp      FOCCAsp      FEdAsp
##  ROccAsp  5.330519e-06 -4.455587e-06 -4.898232e-01  1.567678e+00
##  REdAsp  -4.455587e-06 -1.977191e-05 -1.857670e-01 -4.071582e-01
##  FOCCAsp -4.898232e-01 -1.857670e-01 -4.797271e-05 -1.460881e-05
##
##  . . .
##
##          FIQ      FParAsp
##  ROccAsp  6.080514e-01 -5.747909e-01
##  REdAsp   8.518738e-02 -8.007295e-01
##  FOCCAsp -1.180429e-01  4.374639e-01
##  FEdAsp   1.832159e-01 -6.514685e-01
##  RParAsp  5.019082e-16  1.000322e-15
##  RIQ     3.818356e-15  1.252092e-15
##  RSES    0.000000e+00 -2.506364e-16
##  FSSES   1.931472e-15 -5.029583e-16
##  FIQ     5.695780e-15  1.971289e-15
##  FParAsp 1.971289e-15  5.695780e-15

standardized.residuals(sem.dhp.1)

##          ROccAsp      REdAsp      FOCCAsp      FEdAsp
##  ROccAsp  4.156103e-07 -2.896368e-07 -2.866110e-02  9.102874e-02
##  REdAsp  -2.896368e-07 -1.541581e-06 -1.094841e-02 -2.379215e-02

```

```

##      FOccAsp -2.866110e-02 -1.094841e-02 -3.740356e-06 -9.564103e-07
##
##      . . .
##
##          FIQ      FParAsp
##      ROccAsp 3.467853e-02 -3.187309e-02
##      REdAsp  4.878970e-03 -4.443480e-02
##      FOccAsp -7.354686e-03  2.488120e-02
##      FEdAsp  1.124604e-02 -3.690078e-02
##      RParAsp 2.775558e-17  5.551115e-17
##      RIQ    2.220446e-16  6.938894e-17
##      RSES   0.000000e+00 -1.387779e-17
##      FSES   1.110223e-16 -2.775558e-17
##      FIQ    4.440892e-16  1.110223e-16
##      FParAsp 1.110223e-16  4.440892e-16
## End(Not run)

```

Description

`sem` fits general structural equation models (with both observed and unobserved variables) by the method of maximum likelihood, assuming multinormal errors. Observed variables are also called *indicators* or *manifest variables*; unobserved variables are also called *factors* or *latent variables*. Normally, the generic function (`sem`) would be used.

Usage

```

sem(ram, ...)

## S3 method for class 'mod':
sem(ram, S, N, obs.variables=rownames(S), fixed.x=NULL, debug=FALSE, ...)

## Default S3 method:
sem(ram, S, N, param.names = paste("Param", 1:t, sep = ""),
     var.names = paste("V", 1:m, sep = ""), fixed.x = NULL, raw=FALSE,
     debug = FALSE, analytic.gradient = TRUE, warn = FALSE, maxiter = 500,
     par.size=c('ones', 'startvalues'), refit=TRUE, start.tol=1E-6, ...)

startvalues(S, ram, debug = FALSE, tol=1E-6)

## S3 method for class 'sem':
print(x, ...)

## S3 method for class 'sem':
summary(object, digits=5, conf.level=0.9, ...)

## S3 method for class 'sem':
deviance(object, ...)

## S3 method for class 'sem':
df.residual(object, ...)

```

Arguments

<code>ram</code>	RAM specification, which is a simple encoding of the path diagram for the model. The <code>ram</code> matrix may be given either in symbolic form (as a <code>mod</code> object, as returned by the <code>specify.model</code> function, or as a character matrix), invoking <code>sem.mod</code> , which calls <code>sem.default</code> after setting up the model, or (less conveniently) in numeric form, invoking <code>sem.default</code> directly (see Details below).
<code>S</code>	covariance matrix among observed variables; may be input as a symmetric matrix, or as a lower- or upper-triangular matrix. <code>S</code> may also be a raw (i.e., “uncorrected”) moment matrix — that is, a sum-of-squares-and-products matrix divided by N . This form of input is useful for fitting models with intercepts, in which case the moment matrix should include the mean square and cross-products for a unit variable all of whose entries are 1; of course, the raw mean square for the unit variable is 1. Raw-moment matrices may be computed by <code>raw.moments</code> .
<code>N</code>	number of observations on which the covariance matrix is based.
<code>obs.variables</code>	names of observed variables, by default taken from the row names of the covariance matrix <code>S</code> .
<code>fixed.x</code>	names (if the <code>ram</code> matrix is given in symbolic form) or indices (if it is in numeric form) of fixed exogenous variables. Specifying these obviates the necessity of having to fix the variances and covariances among these variables (and produces correct degrees of freedom for the model <code>chisquare</code>).
<code>raw</code>	TRUE if <code>S</code> is a raw moment matrix, as opposed to a covariance matrix; the default is FALSE.
<code>debug</code>	if TRUE, some information is printed to help you debug the symbolic model specification; for example, if a variable name is misspelled, <code>sem</code> will assume that the variable is a (new) latent variable. The default is FALSE.
<code>...</code>	arguments to be passed down, including from <code>sem.default</code> to the <code>nls</code> optimizer.
<code>param.names</code>	names of the t free parameters, given in their numerical order; default names are <code>Param1</code> , ..., <code>Paramt</code> . Note: Should not be specified when the <code>ram</code> matrix is given in symbolic form.
<code>var.names</code>	names of the m entries of the v vector (typically the observed and latent variables — see below), given in their numerical order; default names are <code>Vari</code> , ..., <code>Varm</code> . Note: Should not be specified when the <code>ram</code> matrix is given in symbolic form.
<code>analytic.gradient</code>	if TRUE (the default), then analytic first derivatives are used in the maximization of the likelihood; otherwise numeric derivatives are used.
<code>warn</code>	if TRUE, warnings produced by the optimization function will be printed. This should generally not be necessary, since <code>sem</code> prints its own warning, and saves information about convergence. The default is FALSE.
<code>maxiter</code>	the maximum number of iterations for the optimization performed by the <code>nls</code> function, to be passed to it via its <code>iterlim</code> argument.
<code>par.size</code>	the anticipated size of the free parameters; if "ones", a vector of ones is used; if "startvalues", taken from the start values. You can try changing this argument if you encounter convergence problems. The default is "startvalues" if the largest input variance is at least 100 times the smallest, and "ones" otherwise.

refit	if TRUE (the default), attempt to refit the model eliminating apparently aliased parameters if under-identification is detected.
start.tol, tol	if the magnitude of an automatic start value is less than start.tol, then it is set to start.tol; defaults to 1E-6.
object, x	an object of class sem returned by the sem function.
digits	number of digits for printed output.
conf.level	level for confidence interval for the RMSEA index (default is .9).

Details

The model is set up using RAM ('reticular action model' – don't ask!) notation – a simple format for specifying general structural equation models by coding the 'arrows' in the path diagram for the model (see, e.g., McArdle and McDonald, 1984).

The variables in the v vector in the model (typically, the observed and unobserved variables, but not error variables) are numbered from 1 to m . the RAM matrix contains one row for each (free or constrained) parameter of the model, and may be specified either in symbolic format or in numeric format.

A symbolic ram matrix consists of three columns, as follows:

1. **Arrow specification:** This is a simple formula, of the form "A \rightarrow B" or, equivalently, "B \leftarrow A" for a regression coefficient (i.e., a single-headed or directional arrow); "A \leftrightarrow A" for a variance or "A \leftrightarrow B" for a covariance (i.e., a double-headed or bidirectional arrow). Here, A and B are variable names in the model. If a name does not correspond to an observed variable, then it is assumed to be a latent variable. Spaces can appear freely in an arrow specification, and there can be any number of hyphens in the arrows, including zero: Thus, e.g., "A \rightarrow B", "A \rightarrow B", and "A $>$ B" are all legitimate and equivalent.
2. **Parameter name:** The name of the regression coefficient, variance, or covariance specified by the arrow. Assigning the same name to two or more arrows results in an equality constraint. Specifying the parameter name as NA produces a fixed parameter.
3. **Value:** start value for a free parameter or value of a fixed parameter. If given as NA, sem will compute the start value.

It is simplest to construct the RAM matrix with the `specify.model` function, which returns an object of class mod. This process is illustrated in the examples below.

A numeric ram matrix consists of five columns, as follows:

1. **Number of arrow heads:** 1 (directed arrow) or 2 (covariance).
2. **Arrow to:** index of the variable at the head of a directional arrow, or at one end of a bidirectional arrow. Observed variables should be assigned the numbers 1 to n , where n is the number of rows/columns in the covariance matrix S, with the indices corresponding to the variables' positions in S. Variable indices above n represent latent variables.
3. **Arrow from:** the index of the variable at the tail of a directional arrow, or at the other end of a bidirectional arrow.
4. **Parameter number:** free parameters are numbered from 1 to t , but do not necessarily appear in consecutive order. Fixed parameters are given the number 0. Equality constraints are specified by assigning two or more parameters the same number.
5. **Value:** start value for a free parameter, or value of a fixed parameter. If given as NA, the program will compute a start value, by a slight modification of the method described by McDonald and Hartmann (1992). Note: In some circumstances, some start values are selected randomly; this might produce small differences in the parameter estimates when the program is rerun.

`sem` fits the model by calling the `n1m` optimizer to minimize the negative log-likelihood for the model. If `n1m` fails to converge, a warning message is printed.

The RAM formulation of the general structural equation model is given by the basic equation

$$v = Av + u$$

where v and u are vectors of random variables (observed or unobserved), and the parameter matrix A contains regression coefficients, symbolized by single-headed arrows in a path diagram. Another parameter matrix,

$$P = E(uu')$$

contains covariances among the elements of u (assuming that the elements of u have zero means). Usually v contains endogenous and exogenous observed and unobserved variables, but not error variables (see the examples below).

The `startvalues` function may be called directly, but is usually called by `sem.default`.

The `sem` methods for the generic functions `deviance` and `df.residual` functions return, respectively, minus twice the difference in the log-likelihoods for the fitted model and a saturated model, and the degrees of freedom associated with the deviance.

Value

`sem` returns an object of class `sem`, with the following elements:

<code>ram</code>	RAM matrix, including any rows generated for covariances among fixed exogenous variables; column 5 includes computed start values.
<code>coeff</code>	estimates of free parameters.
<code>criterion</code>	fitting criterion — minus twice the difference in the log-liklihood between the fitted model and a saturated model, divided by $N - 1$ (or N if the model is fit to a raw moment matrix).
<code>cov</code>	estimated asymptotic covariance matrix of parameter estimates.
<code>S</code>	observed covariance matrix.
<code>J</code>	RAM selection matrix, J , which picks out observed variables.
<code>C</code>	model-reproduced covariance matrix.
<code>A</code>	RAM A matrix.
<code>P</code>	RAM P matrix.
<code>n.fix</code>	number of fixed exogenous variables.
<code>n</code>	number of observed variables.
<code>N</code>	number of observations.
<code>m</code>	number of variables (observed plus unobserved).
<code>t</code>	number of free parameters.
<code>par.posn</code>	indices of free parameters.
<code>var.names</code>	vector of variable names.
<code>observed</code>	indices of observed variables.
<code>convergence</code>	convergence code returned by <code>n1m</code> (a code > 2 indicates a problem).
<code>iterations</code>	number of iterations performed.
<code>raw</code>	TRUE if the model is fit to a raw moment matrix, FALSE otherwise.
<code>chisqNull</code>	Unless the model is fit to a raw moment matrix, the chisquare value associated with a null model in which all of the observed variables are uncorrelated.

Warning

A common error is to fail to specify variance or covariance terms in the model, which are denoted by double-headed arrows, $\langle-\rangle$.

In general, every observed or latent variable in the model should be associated with a variance or error variance. This may be a free parameter to estimate or a fixed constant (as in the case of a latent exogenous variable for which you wish to fix the variance, e.g., to 1). Again in general, there will be an *error variance* associated with each endogenous variable in the model (i.e., each variable to which at least one single-headed arrow points — including observed indicators of latent variables), and a *variance* associated with each exogenous variable (i.e., each variable that appears only at the tail of single-headed arrows, never at the head).

To my knowledge, the only *apparent* exception to this rule is for observed variables that are declared to be fixed exogenous variables. In this case, the program generates the necessary (fixed-constant) variances and covariances automatically.

If there are missing variances, a warning message will be printed, and estimation will almost surely fail in some manner. Missing variances might well indicate that there are missing covariances too, but it is not possible to deduce this in a mechanical manner.

Author(s)

John Fox <jfox@mcmaster.ca>

References

- Bollen, K. A. (1989) *Structural Equations With Latent Variables*. Wiley.

Bollen, K. A. and Long, J. S. (eds.) *Testing Structural Equation Models*, Sage.

McArdle, J. J. and Epstein, D. (1987) Latent growth curves within developmental structural equation models. *Child Development* **58**, 110–133.

McArdle, J. J. and McDonald, R. P. (1984) Some algebraic properties of the reticular action model. *British Journal of Mathematical and Statistical Psychology* **37**, 234–251.

McDonald, R. P. and Hartmann, W. M. (1992) A procedure for obtaining initial values of parameters in the RAM model. *Multivariate Behavioral Research* **27**, 57–76.

Raftery, A. E. (1993) Bayesian model selection in structural equation models. In Bollen, K. A. and Long, J. S. (eds.) *Testing Structural Equation Models*, Sage.

Raftery, A. E. (1995) Bayesian model selection in social research (with discussion). *Sociological Methodology* **25**, 111–196.

See Also

raw.moments.nlm

Examples

```
# ----- Duncan, Haller and Portes peer-influences model -----
# A nonrecursive SEM with unobserved endogenous variables and fixed exogenous variables

R.DHP <- matrix(c(          # lower triangle of correlation matrix
  1,        0,        0,        0,        0,        0,        0,
  .6247,    1,        0,        0,        0,        0,        0,
  .3269,    .3669,    1,        0,        0,        0,        0,
  .4216,    .3275,    .6404,    1,        0,        0,        0,
  0,        0,        0,        0,        0,        0,        0,
  0,        0,        0,        0,        0,        0,        0,
  0,        0,        0,        0,        0,        0,        0),
  nrow=7, ncol=7)
```

```

  .2137,  .2742,  .1124,  .0839,  1,      0,      0,      0,      0,
  .4105,  .4043,  .2903,  .2598,  .1839,  1,      0,      0,      0,
  .3240,  .4047,  .3054,  .2786,  .0489,  .2220,  1,      0,      0,
  .2930,  .2407,  .4105,  .3607,  .0186,  .1861,  .2707,  1,      0,
  .2995,  .2863,  .5191,  .5007,  .0782,  .3355,  .2302,  .2950,  1,
  .0760,  .0702,  .2784,  .1988,  .1147,  .1021,  .0931,  -.0438,  .2087,
), ncol=10, byrow=TRUE)

# Fit the model using a symbolic ram specification

model.dhp <- specify.model()
RParAsp  -> RGenAsp, gam11,  NA
RIQ       -> RGenAsp, gam12,  NA
RSES      -> RGenAsp, gam13,  NA
FSES      -> RGenAsp, gam14,  NA
RSES      -> FGenAsp, gam23,  NA
FSES      -> FGenAsp, gam24,  NA
FIQ       -> FGenAsp, gam25,  NA
FParAsp   -> FGenAsp, gam26,  NA
FGenAsp   -> RGenAsp, beta12, NA
RGenAsp   -> FGenAsp, beta21, NA
RGenAsp   -> ROccAsp,  NA,     1
RGenAsp   -> REdAsp,   lam21,  NA
FGenAsp   -> FOccAsp,  NA,     1
FGenAsp   -> FEdAsp,   lam42,  NA
RGenAsp  <-> RGenAsp, ps11,  NA
FGenAsp  <-> FGenAsp, ps22,  NA
RGenAsp  <-> FGenAsp, ps12,  NA
ROccAsp  <-> ROccAsp, thetal, NA
REdAsp   <-> REdAsp,  theta2, NA
FOccAsp  <-> FOccAsp, theta3, NA
FEdAsp   <-> FEdAsp,  theta4, NA

obs.vars.dhp <- c('ROccAsp', 'REdAsp', 'FOccAsp', 'FEdAsp', 'RParAsp', 'RIQ',
                  'RSES', 'FSES', 'FIQ', 'FParAsp')

sem.dhp.1 <- sem(model.dhp, R.DHP, 329, obs.vars.dhp,
                  fixed.x=c('RParAsp', 'RIQ', 'RSES', 'FSES', 'FIQ', 'FParAsp'))

## summary(sem.dhp.1)
## 
## Model Chisquare = 26.697 Df = 15 Pr(>Chisq) = 0.031302
## Chisquare (null model) = 3280 Df = 45
## Goodness-of-fit index = 0.98439
## Adjusted goodness-of-fit index = 0.94275
## RMSEA index = 0.048759 90
## Bentler-Bonnett NFI = 0.99186
## Tucker-Lewis NNFI = 0.98915
## Bentler CFI = 0.99638
## BIC = -60.244
## 
## Normalized Residuals
##      Min. 1st Qu. Median Mean 3rd Qu. Max.
## -0.7990 -0.1180  0.0000 -0.0120  0.0397  1.5700
## 
## Parameter Estimates
##             Estimate Std. Error z value Pr(>|z|)

```

```

## gam11  0.161224 0.038487  4.1890 2.8019e-05 RGenAsp <--- RParAsp
## gam12  0.249653 0.044580  5.6001 2.1428e-08 RGenAsp <--- RIQ
## gam13  0.218404 0.043476  5.0235 5.0730e-07 RGenAsp <--- RSES
## gam14  0.071843 0.050335  1.4273 1.5350e-01 RGenAsp <--- FSES
## gam23  0.061894 0.051738  1.1963 2.3158e-01 FGenAsp <--- RSES
## gam24  0.228868 0.044495  5.1437 2.6938e-07 FGenAsp <--- FSES
## gam25  0.349039 0.044551  7.8346 4.6629e-15 FGenAsp <--- FIQ
## gam26  0.159535 0.040129  3.9755 7.0224e-05 FGenAsp <--- FParAsp
## beta12 0.184226 0.096207  1.9149 5.5506e-02 RGenAsp <--- FGenAsp
## beta21 0.235458 0.119742  1.9664 4.9255e-02 FGenAsp <--- RGenAsp
## lam21 1.062674 0.091967 11.5549 0.0000e+00 REdAsp <--- RGenAsp
## lam42 0.929727 0.071152 13.0668 0.0000e+00 FEdAsp <--- FGenAsp
## ps11  0.280987 0.046311  6.0674 1.2999e-09 RGenAsp <--> RGenAsp
## ps22  0.263836 0.044902  5.8759 4.2067e-09 FGenAsp <--> FGenAsp
## ps12 -0.022601 0.051649 -0.4376 6.6168e-01 FGenAsp <--> RGenAsp
## theta1 0.412145 0.052211  7.8939 2.8866e-15 ROccAsp <--> ROccAsp
## theta2 0.336148 0.053323  6.3040 2.9003e-10 REdAsp <--> REdAsp
## theta3 0.311194 0.046665  6.6687 2.5800e-11 FOccAsp <--> FOccAsp
## theta4 0.404604 0.046733  8.6578 0.0000e+00 FEdAsp <--> FEdAsp
##
## Iterations = 28

# Fit the model using a numerical ram specification

ram.dhp <- matrix(c(
  #          heads   to      from    param start
  1,        1,     11,      0,      1,
  1,        2,     11,      1,    NA, # lam21
  1,        3,     12,      0,      1,
  1,        4,     12,      2,    NA, # lam42
  1,       11,      5,      3,    NA, # gam11
  1,       11,      6,      4,    NA, # gam12
  1,       11,      7,      5,    NA, # gam13
  1,       11,      8,      6,    NA, # gam14
  1,       12,      7,      7,    NA, # gam23
  1,       12,      8,      8,    NA, # gam24
  1,       12,      9,      9,    NA, # gam25
  1,       12,     10,     10,   NA, # gam26
  1,       11,     12,     11,   NA, # beta12
  1,       12,     11,     12,   NA, # beta21
  2,        1,      1,     13,   NA, # theta1
  2,        2,      2,     14,   NA, # theta2
  2,        3,      3,     15,   NA, # theta3
  2,        4,      4,     16,   NA, # theta4
  2,       11,     11,     17,   NA, # psi11
  2,       12,     12,     18,   NA, # psi22
  2,       11,     12,     19,   NA, # psi12
), ncol=5, byrow=TRUE)

params.dhp <- c('lam21', 'lam42', 'gam11', 'gam12', 'gam13', 'gam14',
                 'gam23', 'gam24', 'gam25', 'gam26',
                 'beta12', 'beta21', 'theta1', 'theta2', 'theta3', 'theta4',
                 'psi11', 'psi22', 'psi12')

vars.dhp <- c('ROccAsp', 'REdAsp', 'FOccAsp', 'FEdAsp', 'RParAsp', 'RIQ',
               'RSES', 'FSES', 'FIQ', 'FParAsp', 'RGenAsp', 'FGenAsp')

```

```

sem.dhp.2 <- sem(ram.dhp, R.DHP, 329, params.dhp, vars.dhp, fixed.x=5:10)

summary(sem.dhp.2)

## Model Chisquare = 26.697 Df = 15 Pr(>Chisq) = 0.031302
## Chisquare (null model) = 3280 Df = 45
## Goodness-of-fit index = 0.98439
## Adjusted goodness-of-fit index = 0.94275
## RMSEA index = 0.048759 90
## Bentler-Bonnett NFI = 0.99186
## Tucker-Lewis NNFI = 0.98915
## Bentler CFI = 0.99638
## BIC = -60.244
##
## Normalized Residuals
##      Min. 1st Qu. Median     Mean 3rd Qu.      Max.
## -0.7990 -0.1180  0.0000 -0.0120  0.0397  1.5700
##
## Parameter Estimates
##             Estimate Std. Error z value Pr(>|z|)
## lam21    1.062674 0.091967 11.5549 0.0000e+00 REdAsp <--- RGenAsp
## lam42    0.929727 0.071152 13.0668 0.0000e+00 FEdAsp <--- FGenAsp
## gam11    0.161224 0.038487  4.1890 2.8019e-05 RGenAsp <--- RParAsp
## gam12    0.249653 0.044580  5.6001 2.1428e-08 RGenAsp <--- RIQ
## gam13    0.218404 0.043476  5.0235 5.0730e-07 RGenAsp <--- RSES
## gam14    0.071843 0.050335  1.4273 1.5350e-01 RGenAsp <--- FSES
## gam23    0.061894 0.051738  1.1963 2.3158e-01 FGenAsp <--- RSES
## gam24    0.228868 0.044495  5.1437 2.6938e-07 FGenAsp <--- FSES
## gam25    0.349039 0.044551  7.8346 4.6629e-15 FGenAsp <--- FIQ
## gam26    0.159535 0.040129  3.9755 7.0224e-05 FGenAsp <--- FParAsp
## beta12   0.184226 0.096207  1.9149 5.5506e-02 RGenAsp <--- FGenAsp
## beta21   0.235458 0.119742  1.9664 4.9255e-02 FGenAsp <--- RGenAsp
## theta1   0.412145 0.052211  7.8939 2.8866e-15 ROccAsp <--> ROccAsp
## theta2   0.336148 0.053323  6.3040 2.9003e-10 REdAsp <--> REdAsp
## theta3   0.311194 0.046665  6.6687 2.5800e-11 FOccAsp <--> FOccAsp
## theta4   0.404604 0.046733  8.6578 0.0000e+00 FEdAsp <--> FEdAsp
## psi11   0.280987 0.046311  6.0674 1.2999e-09 RGenAsp <--> RGenAsp
## psi22   0.263836 0.044902  5.8759 4.2067e-09 FGenAsp <--> FGenAsp
## psi12   -0.022601 0.051649 -0.4376 6.6168e-01 RGenAsp <--> FGenAsp
##
## Iterations = 28

# ----- Wheaton et al. alienation data -----

S.wh <- matrix(c(
  11.834,      0,      0,      0,      0,      0,
  6.947,      9.364,    0,      0,      0,      0,
  6.819,      5.091,   12.532,    0,      0,      0,
  4.783,      5.028,   7.495,   9.986,    0,      0,
 -3.839,     -3.889,  -3.841,  -3.625,  9.610,    0,
 -21.899,    -18.831, -21.748, -18.775, 35.522, 450.288),
  6, 6)

# This is the model in the SAS manual for PROC CALIS: A Recursive SEM with
# latent endogenous and exogenous variables.
# Curiously, both factor loadings for two of the latent variables are fixed.

```

```

model.wh.1 <- specify.model()
  Alienation67    -> Anomia67,      NA,      1
  Alienation67    -> Powerless67,   NA,      0.833
  Alienation71    -> Anomia71,      NA,      1
  Alienation71    -> Powerless71,   NA,      0.833
  SES             -> Education,     NA,      1
  SES             -> SEI,          lamb,    NA
  SES             -> Alienation67,   gam1,    NA
  Alienation67    -> Alienation71,   beta,    NA
  SES             -> Alienation71,   gam2,    NA
  Anomia67        <-> Anomia67,   the1,    NA
  Anomia71        <-> Anomia71,   the1,    NA
  Powerless67     <-> Powerless67, the2,    NA
  Powerless71     <-> Powerless71, the2,    NA
  Education        <-> Education,    the3,    NA
  SEI             <-> SEI,          the4,    NA
  Anomia67        <-> Anomia71,   the5,    NA
  Powerless67     <-> Powerless71, the5,    NA
  Alienation67    <-> Alienation67, psi1,    NA
  Alienation71    <-> Alienation71, psi2,    NA
  SES             <-> SES,          phi,     NA

obs.vars.wh <- c('Anomia67', 'Powerless67', 'Anomia71', 'Powerless71', 'Education', 'SEI')

sem.wh.1 <- sem(model.wh.1, S.wh, 932, obs.vars.wh)

summary(sem.wh.1)

##  Model Chisquare = 13.485 Df = 9 Pr(>Chisq) = 0.14186
##  Chisquare (null model) = 22260 Df = 15
##  Goodness-of-fit index = 0.99527
##  Adjusted goodness-of-fit index = 0.98896
##  RMSEA index = 0.023136 90
##  Bentler-Bonnett NFI = 0.9994
##  Tucker-Lewis NNFI = 0.99966
##  Bentler CFI = 0.9998
##  BIC = -48.051
##
##  Normalized Residuals
##           Min. 1st Qu. Median     Mean 3rd Qu.      Max.
##  -1.26000 -0.13100  0.00014 -0.02870  0.11400  0.87400
##
##  Parameter Estimates
##           Estimate Std. Error z value Pr(>|z|)
##  lamb      5.36880  0.433982 12.3710 0.0000e+00 SEI <--- SES
##  gam1     -0.62994  0.056128 -11.2233 0.0000e+00 Alienation67 <--- SES
##  beta      0.59312  0.046820 12.6680 0.0000e+00 Alienation71 <--- Alienation67
##  gam2     -0.24086  0.055202 -4.3632 1.2817e-05 Alienation71 <--- SES
##  the1      3.60787  0.200589 17.9864 0.0000e+00 Anomia67 <-> Anomia67
##  the2      3.59494  0.165234 21.7567 0.0000e+00 Powerless67 <-> Powerless67
##  the3      2.99366  0.498972  5.9996 1.9774e-09 Education <-> Education
##  the4  259.57583 18.321121 14.1681 0.0000e+00 SEI <-> SEI
##  the5      0.90579  0.121710  7.4422 9.9032e-14 Anomia71 <-> Anomia67
##  psi1      5.67050  0.422906 13.4084 0.0000e+00 Alienation67 <-> Alienation67
##  psi2      4.51481  0.334993 13.4773 0.0000e+00 Alienation71 <-> Alienation71

```

```

## phi      6.61632  0.639506  10.3460  0.0000e+00 SES <--> SES
##
## Iterations =  78

# The same model, but treating one loading for each latent variable as free.

model.wh.2 <- specify.model()
  Alienation67    -> Anomia67,      NA,      1
  Alienation67    -> Powerless67,   lamby,    NA
  Alienation71    -> Anomia71,      NA,      1
  Alienation71    -> Powerless71,   lamby,    NA
  SES             -> Education,     NA,      1
  SES             -> SEI,          lambx,    NA
  SES             -> Alienation67,   gam1,     NA
  Alienation67    -> Alienation71,  beta,     NA
  SES             -> Alienation71,   gam2,     NA
  Anomia67        <-> Anomia67,    the1,     NA
  Anomia71        <-> Anomia71,    the1,     NA
  Powerless67     <-> Powerless67, the2,     NA
  Powerless71     <-> Powerless71, the2,     NA
  Education        <-> Education,    the3,     NA
  SEI             <-> SEI,          the4,     NA
  Anomia67        <-> Anomia71,    the5,     NA
  Powerless67     <-> Powerless71, the5,     NA
  Alienation67    <-> Alienation67, psil,     NA
  Alienation71    <-> Alienation71, psi2,     NA
  SES             <-> SES,          phi,      NA

sem.wh.2 <- sem(model.wh.2, S.wh, 932, obs.vars.wh)

summary(sem.wh.2)

## Model Chisquare = 12.673 Df = 8 Pr(>Chisq) = 0.12360
## Chisquare (null model) = 22260 Df = 15
## Goodness-of-fit index = 0.99553
## Adjusted goodness-of-fit index = 0.98828
## RMSEA index = 0.025049 90
## Bentler-Bonnett NFI = 0.99943
## Tucker-Lewis NNFI = 0.9996
## Bentler CFI = 0.99979
## BIC = -42.026
##
## Normalized Residuals
##           Min. 1st Qu. Median      Mean 3rd Qu.      Max.
## -0.997000 -0.140000  0.000295 -0.028800  0.100000  0.759000
##
## Parameter Estimates
##           Estimate Std. Error z value Pr(>|z|)
## lamby     0.86261  0.033383 25.8402 0.0000e+00 Powerless67 <--- Alienation67
## lambx     5.35302  0.432591 12.3743 0.0000e+00 SEI <--- SES
## gam1     -0.62129  0.056142 -11.0663 0.0000e+00 Alienation67 <--- SES
## beta      0.59428  0.047040 12.6335 0.0000e+00 Alienation71 <--- Alienation67
## gam2     -0.23580  0.054684 -4.3121 1.6173e-05 Alienation71 <--- SES
## the1      3.74499  0.249823 14.9906 0.0000e+00 Anomia67 <--> Anomia67
## the2      3.49378  0.200754 17.4033 0.0000e+00 Powerless67 <--> Powerless67
## the3      2.97409  0.499661  5.9522 2.6456e-09 Education <--> Education
## the4     260.13252 18.298141 14.2163 0.0000e+00 SEI <--> SEI

```

```

## the5    0.90377  0.121818   7.4190 1.1791e-13 Anomia71 <--> Anomia67
## psi1    5.47380  0.464073  11.7951 0.0000e+00 Alienation67 <--> Alienation67
## psi2    4.36410  0.362722  12.0315 0.0000e+00 Alienation71 <--> Alienation71
## phi     6.63576  0.640425  10.3615 0.0000e+00 SES <--> SES
##
## Iterations =  79

# ----- Thurstone data -----
# Second-order confirmatory factor analysis, from the SAS manual for PROC CALIS

R.thur <- matrix(c(
  1.,          0,          0,          0,          0,          0,          0,          0,          0,
  .828,        1.,          0,          0,          0,          0,          0,          0,          0,
  .776,        .779,        1.,          0,          0,          0,          0,          0,          0,
  .439,        .493,        .460,        1.,          0,          0,          0,          0,          0,
  .432,        .464,        .425,        .674,        1.,          0,          0,          0,          0,
  .447,        .489,        .443,        .590,        .541,        1.,          0,          0,          0,
  .447,        .432,        .401,        .381,        .402,        .288,        1.,          0,          0,
  .541,        .537,        .534,        .350,        .367,        .320,        .555,        1.,          0,
  .380,        .358,        .359,        .424,        .446,        .325,        .598,        .452,        1.
), ncol=9, byrow=TRUE)

model.thur <- specify.model()
F1 -> Sentences,                               lam11, NA
F1 -> Vocabulary,                            lam21, NA
F1 -> Sent.Completion,                        lam31, NA
F2 -> First.Letters,                           lam41, NA
F2 -> 4.Letter.Words,                         lam52, NA
F2 -> Suffixes,                                lam62, NA
F3 -> Letter.Series,                           lam73, NA
F3 -> Pedigrees,                               lam83, NA
F3 -> Letter.Group,                            lam93, NA
F4 -> F1,                                     gam1, NA
F4 -> F2,                                     gam2, NA
F4 -> F3,                                     gam3, NA
Sentences <-> Sentences,                      th1, NA
Vocabulary <-> Vocabulary,                    th2, NA
Sent.Completion <-> Sent.Completion,           th3, NA
First.Letters <-> First.Letters,                th4, NA
4.Letter.Words <-> 4.Letter.Words,             th5, NA
Suffixes <-> Suffixes,                          th6, NA
Letter.Series <-> Letter.Series,                th7, NA
Pedigrees <-> Pedigrees,                        th8, NA
Letter.Group <-> Letter.Group,                 th9, NA
F1 <-> F1,                                     NA, 1
F2 <-> F2,                                     NA, 1
F3 <-> F3,                                     NA, 1
F4 <-> F4,                                     NA, 1

obs.vars.thur <- c('Sentences','Vocabulary','Sent.Completion','First.Letters',
                  '4.Letter.Words','Suffixes','Letter.Series','Pedigrees',
                  'Letter.Group')

sem.thur <- sem(model.thur, R.thur, 213, obs.vars.thur)

summary(sem.thur)

```

```

## Model Chisquare = 38.196 Df = 24 Pr(>Chisq) = 0.033101
## Chisquare (null model) = 1908 Df = 36
## Goodness-of-fit index = 0.95957
## Adjusted goodness-of-fit index = 0.9242
## RMSEA index = 0.052822 90
## Bentler-Bonnett NFI = 0.97998
## Tucker-Lewis NNFI = 0.98862
## Bentler CFI = 0.99242
## BIC = -90.475
##
## Normalized Residuals
##      Min.   1st Qu.    Median     Mean   3rd Qu.    Max.
## -9.72e-01 -4.16e-01 -1.65e-06  4.01e-02  9.39e-02  1.63e+00
##
## Parameter Estimates
##             Estimate Std. Error z value Pr(>|z|)
## lam11  0.51512  0.064964  7.9293  2.2204e-15 Sentences <--- F1
## lam21  0.52031  0.065162  7.9849  1.3323e-15 Vocabulary <--- F1
## lam31  0.48743  0.062422  7.8087  5.7732e-15 Sent.Completion <--- F1
## lam41  0.52112  0.063137  8.2538  2.2204e-16 First.Letters <--- F2
## lam52  0.49707  0.059673  8.3298  0.0000e+00 4.Letter.Words <--- F2
## lam62  0.43806  0.056479  7.7562  8.6597e-15 Suffixes <--- F2
## lam73  0.45244  0.071371  6.3392  2.3100e-10 Letter.Series <--- F3
## lam83  0.41729  0.061036  6.8367  8.1017e-12 Pedigrees <--- F3
## lam93  0.40763  0.064524  6.3175  2.6583e-10 Letter.Group <--- F3
## gam1   1.44381  0.264174  5.4654  4.6188e-08 F1 <--- F4
## gam2   1.25383  0.216597  5.7888  7.0909e-09 F2 <--- F4
## gam3   1.40655  0.279331  5.0354  4.7680e-07 F3 <--- F4
## th1    0.18150  0.028400  6.3907  1.6517e-10 Sentences <-> Sentences
## th2    0.16493  0.027797  5.9334  2.9677e-09 Vocabulary <-> Vocabulary
## th3    0.26713  0.033468  7.9816  1.5543e-15 Sent.Completion <-> Sent.Completion
## th4    0.30150  0.050686  5.9484  2.7074e-09 First.Letters <-> First.Letters
## th5    0.36450  0.052358  6.9617  3.3618e-12 4.Letter.Words <-> 4.Letter.Words
## th6    0.50641  0.059963  8.4455  0.0000e+00 Suffixes <-> Suffixes
## th7    0.39033  0.061599  6.3367  2.3475e-10 Letter.Series <-> Letter.Series
## th8    0.48137  0.065388  7.3618  1.8141e-13 Pedigrees <-> Pedigrees
## th9    0.50510  0.065227  7.7437  9.5479e-15 Letter.Group <-> Letter.Group
##
## Iterations = 54

----- Kerchoff/Kenney path analysis -----
# An observed-variable recursive SEM from the LISREL manual

R.kerch <- matrix(c(
  1,          0,          0,          0,          0,          0,          0,
  -.100,      1,          0,          0,          0,          0,          0,
  .277,       -.152,      1,          0,          0,          0,          0,
  .250,       -.108,      .611,      1,          0,          0,          0,
  .572,       -.105,      .294,      .248,      1,          0,          0,
  .489,       -.213,      .446,      .410,      .597,      1,          0,
  .335,       -.153,      .303,      .331,      .478,      .651,      1),
  ncol=7, byrow=TRUE)

rownames(R.kerch) <- colnames(R.kerch) <- c('Intelligence','Siblings',
'FatherEd','FatherOcc','Grades','EducExp','OccupAsp')

```

```

model.kerch <- specify.model()
  Intelligence -> Grades,           gam51,    NA
  Siblings -> Grades,             gam52,    NA
  FatherEd -> Grades,            gam53,    NA
  FatherOcc -> Grades,            gam54,    NA
  Intelligence -> EducExp,        gam61,    NA
  Siblings -> EducExp,            gam62,    NA
  FatherEd -> EducExp,            gam63,    NA
  FatherOcc -> EducExp,            gam64,    NA
  Grades -> EducExp,              beta65,   NA
  Intelligence -> OccupAsp,       gam71,    NA
  Siblings -> OccupAsp,           gam72,    NA
  FatherEd -> OccupAsp,           gam73,    NA
  FatherOcc -> OccupAsp,          gam74,    NA
  Grades -> OccupAsp,              beta75,   NA
  EducExp -> OccupAsp,             beta76,   NA
  Grades <-> Grades,              psi5,    NA
  EducExp <-> EducExp,             psi6,    NA
  OccupAsp <-> OccupAsp,          psi7,    NA

sem.kerch <- sem(model.kerch, R.kerch, 737, fixed.x=c('Intelligence','Siblings',
  'FatherEd','FatherOcc'))

summary(sem.kerch)

##  Model Chisquare =  3.2685e-13  Df =  0 Pr(>Chisq) = NA
##  Chisquare (null model) =  5152  Df =  21
##  Goodness-of-fit index =  1
##  BIC =  3.2685e-13
##
##  Normalized Residuals
##      Min. 1st Qu. Median Mean 3rd Qu. Max.
## -4.28e-15 0.00e+00 0.00e+00 7.62e-16 1.47e-15 5.17e-15
##
##  Parameter Estimates
##      Estimate Std. Error z value Pr(>|z|)
##  gam51  0.525902 0.031182 16.86530 0.0000e+00 Grades <--- Intelligence
##  gam52 -0.029942 0.030149 -0.99314 3.2064e-01 Grades <--- Siblings
##  gam53  0.118966 0.038259  3.10951 1.8740e-03 Grades <--- FatherEd
##  gam54  0.040603 0.037785  1.07456 2.8257e-01 Grades <--- FatherOcc
##  gam61  0.160270 0.032710  4.89979 9.5940e-07 EducExp <--- Intelligence
##  gam62 -0.111779 0.026876 -4.15899 3.1966e-05 EducExp <--- Siblings
##  gam63  0.172719 0.034306  5.03461 4.7882e-07 EducExp <--- FatherEd
##  gam64  0.151852 0.033688  4.50758 6.5571e-06 EducExp <--- FatherOcc
##  beta65  0.405150 0.032838 12.33799 0.0000e+00 EducExp <--- Grades
##  gam71 -0.039405 0.034500 -1.14215 2.5339e-01 OccupAsp <--- Intelligence
##  gam72 -0.018825 0.028222 -0.66700 5.0477e-01 OccupAsp <--- Siblings
##  gam73 -0.041333 0.036216 -1.14126 2.5376e-01 OccupAsp <--- FatherEd
##  gam74  0.099577 0.035446  2.80924 4.9658e-03 OccupAsp <--- FatherOcc
##  beta75  0.157912 0.037443  4.21738 2.4716e-05 OccupAsp <--- Grades
##  beta76  0.549593 0.038260 14.36486 0.0000e+00 OccupAsp <--- EducExp
##  psi5   0.650995 0.033946 19.17743 0.0000e+00 Grades <-> Grades
##  psi6   0.516652 0.026943 19.17590 0.0000e+00 EducExp <-> EducExp
##  psi7   0.556617 0.029026 19.17644 0.0000e+00 OccupAsp <-> OccupAsp
##

```

```

## Iterations = 0

#----- McArdle/Epstein latent-growth-curve model -----
# This model, from McArdle and Epstein (1987, p.118), illustrates the use of a
# raw moment matrix to fit a model with an intercept. (The example was suggested
# by Mike Stoolmiller.)

M.McArdle <- scan()
365.661      0          0          0
503.175      719.905    0          0
675.656      958.479    1303.392   0
890.680     1265.846    1712.475   2278.257  0
18.034       25.819     35.255     46.593    1.000

M.McArdle <- matrix(M.McArdle, 5, 5, byrow=TRUE)
rownames(M.McArdle) <- colnames(M.McArdle) <- scan(what="")
WISC1 WISC2 WISC3 WISC4 UNIT

mod.McArdle <- specify.model()
C -> WISC1, NA, 6.07
C -> WISC2, B2, NA
C -> WISC3, B3, NA
C -> WISC4, B4, NA
UNIT -> C, Mc, NA
C <-> C, Vc, NA,
WISC1 <-> WISC1, Vd, NA
WISC2 <-> WISC2, Vd, NA
WISC3 <-> WISC3, Vd, NA
WISC4 <-> WISC4, Vd, NA

sem.McArdle <- sem(mod.McArdle, M.McArdle, 204, fixed.x="UNIT", raw=TRUE)
summary(sem.McArdle)

## Model fit to raw moment matrix.
##
## Model Chisquare = 83.791 Df = 8 Pr(>Chisq) = 8.4377e-15
## BIC = 41.246
##
## Normalized Residuals
##   Min. 1st Qu. Median Mean 3rd Qu. Max.
## -0.15300 -0.01840  0.00132 -0.00576  0.02400  0.07760
##
## Parameter Estimates
##   Estimate Std. Error z value Pr(>|z|)
##   B2 8.61354 0.135438 63.5976 0      WISC2 <--- C
##   B3 11.64054 0.168854 68.9387 0      WISC3 <--- C
##   B4 15.40323 0.213071 72.2916 0      WISC4 <--- C
##   Mc 3.01763 0.060690 49.7219 0      C <--- UNIT
##   Vc 0.44343 0.047704 9.2955 0      C <-> C
##   Vd 11.78832 0.674060 17.4885 0      WISC1 <-> WISC1
##
## Iterations = 37

```

Description

Create the RAM specification of a structural equation model.

Usage

```
specify.model(file = "")  
  
## S3 method for class 'mod':  
print(x, ...)
```

Arguments

file	The (quoted) file from which to read the model specification, including the path to the file if it is not in the current directory. If "" (the default), then the specification is read from the standard input stream, and is terminated by a blank line.
x	An object of class <code>mod</code> to print, as produced by <code>specify.model</code> .
...	Ignored.

Details

Each line of the RAM specification consists of three (unquoted) entries, separated by commas:

1. **Arrow specification:** This is a simple formula, of the form $A \rightarrow B$ or, equivalently, $B \leftarrow A$ for a regression coefficient (i.e., a single-headed or directional arrow); $A \leftrightarrow A$ for a variance or $A \leftrightarrow B$ for a covariance (i.e., a double-headed or bidirectional arrow). Here, A and B are variable names in the model. If a name does not correspond to an observed variable, then it is assumed to be a latent variable. Spaces can appear freely in an arrow specification, and there can be any number of hyphens in the arrows, including zero: Thus, e.g., $A \rightarrow B$, $A \rightarrow \rightarrow B$, and $A \rightarrow \rightarrow \rightarrow B$ are all legitimate and equivalent.
2. **Parameter name:** The name of the regression coefficient, variance, or covariance specified by the arrow. Assigning the same name to two or more arrows results in an equality constraint. Specifying the parameter name as NA produces a fixed parameter.
3. **Value:** start value for a free parameter or value of a fixed parameter. If given as NA, `sem` will compute the start value.

Lines may end in a comment following #.

See [sem](#) for further details on model specification.

Value

An object of class `mod`, suitable as input for [sem](#).

Author(s)

John Fox <jfox@mcmaster.ca>

See Also

[sem](#)

Examples

```

## Not run:
model.dhp <- specify.model()
RParAsp  -> RGenAsp, gam11,  NA
RIQ      -> RGenAsp, gam12,  NA
RSES     -> RGenAsp, gam13,  NA
FSES     -> RGenAsp, gam14,  NA
RSES     -> FGenAsp, gam23,  NA
FSES     -> FGenAsp, gam24,  NA
FIQ      -> FGenAsp, gam25,  NA
FParAsp  -> FGenAsp, gam26,  NA
FGenAsp  -> RGenAsp, beta12, NA
RGenAsp  -> FGenAsp, beta21, NA
RGenAsp  -> ROccAsp,  NA,     1
RGenAsp  -> REdAsp,   lam21,  NA
FGenAsp  -> FOccAsp,  NA,     1
FGenAsp  -> FEdAsp,   lam42,  NA
RGenAsp  <-> RGenAsp, ps11,  NA
FGenAsp  <-> FGenAsp, ps22,  NA
RGenAsp  <-> FGenAsp, ps12,  NA
ROccAsp  <-> ROccAsp, theta1, NA
REdAsp   <-> REdAsp,  theta2, NA
FOccAsp  <-> FOccAsp, theta3, NA
FEdAsp   <-> FEdAsp,  theta4, NA

model.dhp
## End(Not run)

```

standardized.coefficients

Standardized Coefficients for Structural Equation Models

Description

These functions calculate standardized regression coefficients for structural equation models. The function `std.coef` is simply an abbreviation for `standardized.coefficients`.

Usage

```

standardized.coefficients(object, digits=5)

std.coef(...)

```

Arguments

- `object` an object of class `sem` returned by the `sem` function.
- `digits` number of digits for printed output.
- `...` arguments to pass to `standardized.coefficients`.

Value

Returns a data frame with the standardized coefficients, labelled both by parameter names and by arrows in the path diagram for the model.

Author(s)

John Fox <jfox@mcmaster.ca>

References

Bollen, K. A. (1989) *Structural Equations With Latent Variables*. Wiley.

See Also

[sem](#)

Examples

```
# ----- assumes that Duncan, Haller and Portes peer-influences model
# ----- has been fit and is in sem.dhp.1
## Not run:
standardized.coefficients(sem.dhp.1)

##          Std. Estimate
## 1  gam11  0.210278   RGenAsp <--- RParAsp
## 2  gam12  0.325612   RGenAsp <--- RIQ
## 3  gam13  0.284855   RGenAsp <--- RSES
## 4  gam14  0.093702   RGenAsp <--- FSES
## 5  gam23  0.074576   FGenAsp <--- RSES
## 6  gam24  0.275763   FGenAsp <--- FSES
## 7  gam25  0.420558   FGenAsp <--- FIQ
## 8  gam26  0.192224   FGenAsp <--- FParAsp
## 9  beta12 0.199418   RGenAsp <--- FGenAsp
## 10 beta21 0.217521   FGenAsp <--- RGenAsp
## 11          0.766717   ROccAsp <--- RGenAsp
## 12 lam21  0.814771   REdAsp <--- RGenAsp
## 13          0.829943   FOccAsp <--- FGenAsp
## 14 lam42  0.771619   FEdAsp <--- FGenAsp
## End(Not run)
```

tsls

Two-Stage Least Squares

Description

Fits an equation in a structural-equation model by two-stage least squares. This is equivalent to direct instrumental-variables estimation when the number of instruments is equal to the number of predictors.

Usage

```
tsls(y, ...)
## S3 method for class 'formula':
tsls(formula, instruments, data, subset, na.action, contrasts=NULL, ...)
## Default S3 method:
tsls(y, X, Z, names=NULL, ...)
```

```

## S3 method for class 'tsls':
print(x, ...)

## S3 method for class 'tsls':
summary(object, digits=4, ...)

## S3 method for class 'tsls':
anova(object, model.2, s2, dfe, ...)

## S3 method for class 'tsls':
fitted(object, ...)

## S3 method for class 'tsls':
residuals(object, ...)

## S3 method for class 'tsls':
coefficients(object, ...)

## S3 method for class 'tsls':
vcov(object, ...)

```

Arguments

formula	model formula for structural equation to be estimated; a regression constant is implied if not explicitly omitted.
instruments	one-sided model formula specifying instrumental variables.
data	an optional data frame containing the variables in the model. By default the variables are taken from the environment from which tsls is called.
subset	an optional vector specifying a subset of observations to be used in fitting the model.
na.action	a function that indicates what should happen when the data contain NAs. The default is set by the na.action option.
contrasts	an optional list. See the contrasts.arg of model.matrix.default .
y	Response-variable vector.
X	Matrix of predictors, including a constant (if one is in the model).
Z	Matrix of instrumental variables, including a constant (if one is in the model).
names	optional character vector of names for the columns of the X matrix.
x, object, model.2	objects of class tsls returned by tsls.formula, containing nested models to be compared by an incremental F-test. One model should be nested in the other; the order of models is immaterial.
s2	an optional estimate of error variance for the denominator of the F-test. If missing, the error-variance estimate is taken from the larger model.
dfe	optional error degrees of freedom, to be specified when an estimate of error variance is given.
digits	number of digits for summary output.
...	arguments to be passed down.

Value

tsls.formula returns an object of class tsls, with the following components:

n	number of observations.
p	number of parameters.

```

coefficients parameter estimates.
V           estimated covariance matrix of coefficients.
s           residual standard error.
residuals   vector of residuals.
response    vector of response values.
X           model matrix.
Z           instrumental-variables matrix.
response.name name of response variable, or expression evaluating to response.
formula     model formula.
instruments one-sided formula for instrumental variables.

```

Author(s)

John Fox <jfox@mcmaster.ca>

References

- Fox, J. (1979) Simultaneous equation models and two-stage least-squares. In Schuessler, K. F. (ed.) *Sociological Methodology 1979*, Jossey-Bass.
- Greene, W. H. (1993) *Econometric Analysis, Second Edition*, Macmillan.

See Also

[sem](#)

Examples

```

data(Kmenta)
summary(tsls(Q ~ P + D, ~ D + F + A, data=Kmenta))      # demand equation

## 2SLS Estimates
##
## Model Formula: Q ~ P + D
##
## Instruments: ~D + F + A
##
## Residuals:
##       Min. 1st Qu. Median      Mean 3rd Qu.      Max.
## -3.43e+00 -1.24e+00 -1.89e-01 -2.49e-13  1.58e+00  2.49e+00
##
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)  94.6333    7.92084 11.947 1.076e-09
## P            -0.2436    0.09648 -2.524 2.183e-02
## D             0.3140    0.04694  6.689 3.811e-06
##
## Residual standard error: 1.9663 on 17 degrees of freedom

summary(tsls(Q ~ P + F + A, ~ D + F + A, data=Kmenta)) # supply equation

## 2SLS Estimates
##
## Model Formula: Q ~ P + F + A

```

```
##  
## Instruments: ~D + F + A  
##  
## Residuals:  
##      Min.    1st Qu.     Median      Mean    3rd Qu.     Max.  
## -4.87e+00 -1.26e+00  6.42e-01 -5.64e-12  1.47e+00  3.49e+00  
##  
##          Estimate Std. Error t value Pr(>|t|)  
## (Intercept) 49.5324   12.01053   4.124 7.954e-04  
## P           0.2401    0.09993   2.402 2.878e-02  
## F           0.2556    0.04725   5.410 5.785e-05  
## A           0.2529    0.09966   2.538 2.193e-02  
##  
## Residual standard error: 2.4576 on 16 degrees of freedom  
  
anova(tsls(Q ~ P + F + A, ~ D + F + A, data=Kmenta),  
      tsls(Q ~ 1, ~ D + F + A, data=Kmenta))  
  
## Analysis of Variance  
##  
## Model 1: Q ~ P + F + A    Instruments: ~D + F + A  
## Model 2: Q ~ 1    Instruments: ~D + F + A  
##  
##          Res.Df      RSS Df Sum of Sq      F  Pr(>F)  
## Model 1       16  96.633  
## Model 2       19 268.114   3   171.481 4.0507 0.02553
```

Index

*Topic **datasets**
CNES, 1
Klein, 2
Kmenta, 3

*Topic **dplot**
path.diagram, 9

*Topic **htest**
boot.sem, 4

*Topic **manip**
raw.moments, 13

*Topic **models**
boot.sem, 4
mod.indices, 6
path.diagram, 9
ram, 11
residuals.sem, 14
sem, 16
specify.model, 30
standardized.coefficients, 31
tsls, 33

anova.tsls(tsls), 33

boot, 5
boot.ci, 4
boot.sem, 4

CNES, 1
coefficients.tsls(tsls), 33
cor, 4
cov, 4

deviance, 19
deviance.sem(sem), 16
df.residual, 19
df.residual.sem(sem), 16

fitted.tsls(tsls), 33

hetcor, 4

Klein, 2
Kmenta, 3

mod.indices, 6

model.matrix.default, 13, 33

nlm, 17, 19, 21
normalized.residuals
(residuals.sem), 14

path.diagram, 9
print.bootsem(boot.sem), 4
print.mod(specify.model), 30
print.rawmoments(raw.moments), 13
print.sem(sem), 16
print.sem.modind(mod.indices), 6
print.summary.sem(sem), 16
print.tsls(tsls), 33

ram, 11
raw.moments, 13, 17, 21
residuals.sem, 14
residuals.tsls(tsls), 33

sem, 4, 5, 7, 10, 12, 14, 15, 16, 31, 32, 34
specify.model, 17, 18, 30
standardized.coefficients, 31
standardized.residuals
(residuals.sem), 14
startvalues(sem), 16
std.coef
(standardized.coefficients), 31
summary.bootsem(boot.sem), 4
summary.sem(sem), 16
summary.sem.modind(mod.indices), 6
summary.tsls(tsls), 33
tsls, 33

vcov.tsls(tsls), 33